



colc

PATENT
Attorney Docket No. P06366US01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENTEE: YEUNG et al.
PATENT NO: 6,788,414 B1
ISSUED: September 7, 2004
TITLE: METHOD OF ANALYZING MULTIPLE SAMPLES
SIMULTANEOUSLY BY DETECTING ABSORPTION AND
SYSTEMS FOR USE IN SUCH A METHOD

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 CFR § 1.322(a))

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: Decision and Certificate of Correction
Branch of the Patent Issue Division

Certificate
SEP 21 2004
of Correction

Dear Sir:

Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

The exact page and line number where the errors are shown correctly in the application file are: page 1 (54) Title, page 1 (57) Abstract, page 60 lines 16, 22, 33; page 61, lines 7, 18; page 62, line 9, 18; page 64, lines 18, 20 of the original application mailed March 6, 2002; page

=====

CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.8(a))

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

☒ deposited with the United States Postal Service with sufficient postage as First Class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

FACSIMILE

☐ transmitted by facsimile to the Patent and Trademark Office, Art Unit 2877 at Fax No. (703) 872-_____.

Date: Sept 13, 2004


EDMUND J. SEASE

SEP 22 2004

5, lines 4, 9; page 7, line 22; page 8, line 7, 21; page 9, line 8; of the Amendment filed January 16, 2004.

Please send the Certificate to: Edmund J. Sease, McKee, Voorhees & Sease, P.L.C., 801 Grand Avenue, Suite 3200, Des Moines, IA 50309-2721.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Edmund J. Sease', with a stylized, flowing script.

EDMUND J. SEASE, Reg. No. 24,741
McKEE, VOORHEES & SEASE, P.L.C..
801 Grand Avenue, Suite 3200
Des Moines, Iowa 50309-2721
Phone No. (515) 288-3667
CUSTOMER NO: 22885
Attorneys of Record

- pw -

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,788,414 B1

DATED : September 7, 2004

INVENTOR(S) : YEUNG, et al

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(54):

METHOD OF ANALYZING MULTIPLE ~~SAMPLE~~ SAMPLES SIMULTANEOUSLY BY
DETECTING ABSORPTION ANS SYSTEMS FOR USE IN SUCH A METHOD

(57), beginning line 15:

amount of the absorbing species in the sample. Also provided by the present invention is a system for use in the ~~above metho~~ above method. The system comprises[[:]] : (i) a light source ~~comrpising~~ comprising or consisting essentially of at ~~leat~~ least one wavelength of light, the absorption of which is to be detected, (ii) a planar array of multiple containers, and (iii) a detection means that is in line with the light source and is positioned in line with and parallel to the planar array of multiple ~~eonainers~~ containers at a distance of at least about 10 times a cross-sectional distance of a container.

Column 41, line 42:

~~eonainers~~ containers.

Column 41, line 47:

measuring the amount of absorption of light ~~deteetd-n~~ detected in (iii)

MAILING ADDRESS OF SENDER:

Edmund J. Sease, Reg. No. 24,741
McKee, Voorhees & Sease, P.L.C.
801 Grand Avenue, Suite 3200
Des Moines, IA 50309-2721

PATENT NO. 6,788,414 B1

No. of additional copies

page 1



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

SEP 22 2004

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 6,788,414 B1
DATED : September 7, 2004
INVENTOR(S) : YEUNG, et al

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 41, line 56:
about 10 times the diameter of a capillary tube.

Column 41, line 66:
9. The method of claim [[8]] 4, wherein the cross-talk between

Column 42, line 8:
13. The method of claim 1, wherein ~~said~~ said planar array

Column 42, line 17:
about [[10]] ten pixels.

Column 42, line 18:
17. The method of claim [[16]] 21, wherein an optional filter is

Column 42, line 45:
23. The method of claim 1, wherein a beam expander is

Column 42, line 59:
which can be pleased placed a sample comprising at least one

Column 42, line 65:
in said planar array of multiple containers ~~measured~~ measured

MAILING ADDRESS OF SENDER:

Edmund J. Sease, Reg. No. 24,741
McKee, Voorhees & Sease, P.L.C.
801 Grand Avenue, Suite 3200
Des Moines, IA 50309-2721

PATENT NO. 6,788,414 B1

No. of additional copies

page 2



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 6,788,414 B1

DATED : September 7, 2004

INVENTOR(S) : YEUNG, et al

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 43, line 15:
multiple containers is about ~~$1.8 \times 10^{-8} M$~~ $1.8 \times 10^{-8} M$.

Column 43, line 16:
32. The system of claim ~~[[31]]~~ 27, wherein the cross-talk

Column 43, line 43:
couples light that ~~[[i]]~~ is not absorbed by the one or more of said

Column 44, line 24:
with ~~the~~ and parallel to the planar array of multiple containers

Column 44, line 47:
with and parallel to the planar~~[[,]]~~ array of multiple containers

MAILING ADDRESS OF SENDER:

Edmund J. Sease, Reg. No. 24,741
McKee, Voorhees & Sease, P.L.C.
801 Grand Avenue, Suite 3200
Des Moines, IA 50309-2721

PATENT NO. 6,788,414 B1

No. of additional copies

page 3



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE

11/22/04

Paper No.:

TO SPE OF : ART UNIT

2877

10/070,531

SUBJECT

Request for Certificate of Correction on Patent No.:

6,288,414

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Certificates of Correction Branch - PK 3-915

Palm location 7580 - Tel. No. 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ Approved

All changes apply.

☒ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments:

- (1) Change in Col 41, line 66 - dependency of claim 9 - correct as printed
(2) Change in Col 42, line 18 - dependency of claim 17 - correct as printed
(3) Change in Col 43, line 16 - dependency of claim 32 - correct as printed.

GREGORY J. TOATLEY, JR.
PRIMARY EXAMINER

SPE

2877
Art Unit